Docket No. AUS920010915US1

CLAIMS:

What is claimed is:

1. A method of executing a hardware dump, comprising: identifying a set of hardware dump information

5 elements to collect;

calculating an amount of memory to allocate for a dump list based on the identified set of hardware dump information elements;

allocating the calculated amount of memory; and building the dump list in the allocated memory.

2. The method of claim 1, further comprising: collecting the hardware dump information elements; and

saving the collected hardware dump information elements in memory.

- 3. The method of claim 1, wherein the step of identifying a set of hardware dump information elements comprises determining a dump mode.
- The method of claim 3, wherein the step of
 identifying a set of hardware dump information elements comprises identifying a complete set of static arrays if the dump mode is a complete dump.
- The method of claim 3, wherein the step of identifying a set of hardware dump information elements
 comprises identifying a subset of static arrays if the dump mode is an abbreviated dump.

Docket No. AUS920010915US1

- 6. The method of claim 1, wherein the step of identifying a set of hardware dump information elements comprises identifying a set of static arrays.
- 7. The method of claim 6, wherein the set of static arrays comprises a component static array for each component to be scanned.
 - 8. The method of claim 7, wherein each component static array comprises a set of constants, each constant representing a hardware dump information element to be collected.
 - 9. The method of claim 1, wherein the step of building the dump list comprises building the dump list based on the set of hardware dump information elements.
- 10. The method of claim 1, wherein the hardware information elements comprises at least one of a scan ring, a trace array, cache contents, and cache directory contents.
 - 11. An apparatus for executing a hardware dump, comprising:
- 20 a memory; and
 - a processor, coupled to the memory, wherein the processor identifies a set of hardware dump information elements to collect; calculates an amount of memory to allocate for a dump list based on the identified set of
- 25 hardware dump information elements; allocates a portion of the memory corresponding to the calculated amount; and

Docket No. AUS920010915US1

elements in the memory.

builds the dump list in the allocated portion of the memory.

- 12. The apparatus of claim 11, wherein the processor further collects the hardware dump information elements; and saves the collected hardware dump information
- 13. The apparatus of claim 11, wherein the processor determines a dump mode and identifies the set of hardware dump information elements based on the dump mode.
- 10 14. The apparatus of claim 13, wherein the processor identifies a complete set of static arrays if the dump mode is a complete dump and identifies the set of hardware dump information elements using the complete set of static arrays.
- 15. The apparatus of claim 13, wherein the processor identifies a subset of static arrays if the dump mode is an abbreviated dump and identifies the set of hardware dump information elements using the subset of static arrays.
- 20 16. The apparatus of claim 11, wherein the processor identifies a set of static arrays and identifies the set of hardware dump information elements using the set of static arrays.
- 17. The apparatus of claim 16, wherein the set of static arrays comprises a component static array for each component to be scanned.

- 18. The apparatus of claim 17, wherein each component static array comprises a set of constants, each constant representing a hardware dump information element to be collected.
- 5 19. The apparatus of claim 11, wherein the processor builds the dump list based on the set of hardware dump information elements.
- 20. The apparatus of claim 11, wherein the hardware information elements comprises at least one of a scan ring, a trace array, cache contents, and cache directory contents.
 - 21. A computer program product, in a computer readable medium, for executing a hardware dump, comprising:

instructions for identifying a set of hardware dump information elements to collect;

instructions for calculating an amount of memory to allocate for a dump list based on the identified set of hardware dump information elements;

instructions for allocating the calculated amount of 20 memory; and

instructions for building the dump list in the allocated memory.